

Separators CYC 0016–0630

Cyclone separators



Ideal protection

High efficiency and perfect contaminant separation thanks to multiple angular deflectors

Robust

Single-chamber design with heavy-duty mild steel body and inside deflector, no rotating parts, no wear or tear

Easy servicing


Minimum cleaning or maintenance requirements, easy installation limited to connecting the inlet and outlet

Separators CYC 0016–0630

Cyclone separators



Dimensional drawing



The following technical values refer to ISO Hz

	CYC 0016	CYC 0040	CYC 0100
Liquid capacity	0.25 l	0.4 l	1.3 l
Max. pumping speed of vacuum pump	16 m ³ /h	21–40 m ³ /h	63–100 m ³ /h
Ambient temperature	5 ... 40 °C	5 ... 40 °C	5 ... 40 °C
Weight approx.	2.4 kg	5.6 kg	13.5 kg
Part number	0964239929	0964239930	0964239803
Dimensions (W x H x Ø)	120 x 455 x 64 mm	170 x 524 x 102 mm	230 x 670.5 x 153 mm

The following technical values refer to ISO Hz

	CYC 0250	CYC 0630
Liquid capacity	1.8 l	5.2 l
Max. pumping speed of vacuum pump	160–250 m ³ /h	400–630 m ³ /h
Ambient temperature	5 ... 40 °C	5 ... 40 °C

Separators CYC 0016–0630

Cyclone separators



	CYC 0250	CYC 0630
Weight approx.	14.3 kg	27.5 kg
Part number	0964239931	0964240208
Dimensions (W x H x Ø)	260 x 773 x 178 mm	380 x 919.5 x 268 mm

Do you want to know more

Please contact us!
busch@busch.com.my or +60 (0)3 55 25 95 00



Contact form



Call us now