

# R5 RA/RC 0010/0016 C

Oil-lubricated rotary vane vacuum pumps



VACUUM SOLUTIONS



## Compact

Reduced height and weight, ideal for installations in confined spaces

## Reliable

Robust construction, highly durable fiber-reinforced epoxy resin vanes, proven rotary vane technology, long service life

## Flexible

Various design options available, easy adaption to individual customer requirements and processes

Accessories, spare parts and options

- Gas-ballast valve
- Filter pressure gauge
- Vacuum regulating unit
- Various inlet filters
- Vacuum pump oils for all applications


# R5 RA/RC 0010/0016 C

Oil-lubricated rotary vane vacuum pumps



VACUUM SOLUTIONS


Dimensional drawing



Pumping speed

Air at 20°C. Tolerance: ± 10%

— 50 Hz ..... 60 Hz



	R5 RA 0010 C	R5 RC 0010 C	R5 RA 0016 C	R5 RC 0016 C
<b>Nominal pumping speed</b>	10 / 12 m <sup>3</sup> /h (50 / 60 Hz)	10 / 12 m <sup>3</sup> /h (50 / 60 Hz)	16 / 19 m <sup>3</sup> /h (50 / 60 Hz)	16 / 19 m <sup>3</sup> /h (50 / 60 Hz)
<b>Ultimate pressure (Gas-ballast valve open)</b>	2 hPa (mbar) (50 / 60 Hz)	20.0 hPa (mbar) (50 / 60 Hz)	2.0 hPa (mbar) (50 / 60 Hz)	20.0 hPa (mbar) (50 / 60 Hz)
<b>Ultimate pressure (Gas-ballast valve closed)</b>	0.5 hPa (mbar) (50 / 60 Hz)	20.0 hPa (mbar) (50 / 60 Hz)	0.5 hPa (mbar) (50 / 60 Hz)	20.0 hPa (mbar) (50 / 60 Hz)
<b>Nominal motor rating</b>	0.45 / 0.45 kW (50 / 60 Hz)	0.45 / 0.45 kW (50 / 60 Hz)	0.55 / 0.7 kW (50 / 60 Hz)	0.55 / 0.7 kW (50 / 60 Hz)
<b>Nominal motor speed</b>	1500 / 1800 min <sup>-1</sup> (50 / 60 Hz)	1500 / 1800 min <sup>-1</sup> (50 / 60 Hz)	1500 / 1800 min <sup>-1</sup> (50 / 60 Hz)	1500 / 1800 min <sup>-1</sup> (50 / 60 Hz)
<b>Sound pressure level (ISO 2151), KpA = 3 dB</b>	53 / 56 dB(A) (50 / 60 Hz)	53 / 56 dB(A) (50 / 60 Hz)	54 / 56 dB(A) (50 / 60 Hz)	54 / 56 dB(A) (50 / 60 Hz)
<b>Oil capacity</b>	0.4 l	0.4 l	0.4 l	0.4 l
<b>Weight approx.</b>	19 kg	19 kg	19 kg	19 kg
<b>Dimensions (L x W x H)</b>	434 x 215 x 249 mm	398 x 209 x 211 mm	422 x 209 x 220 mm	422 x 209 x 253 mm
<b>Gas inlet</b>	G 3/4"	G 3/4"	G 3/4"	G 3/4"

DO YOU WANT TO KNOW MORE?

Get in touch with us directly!  
[info@busch.com.tr](mailto:info@busch.com.tr) or +90 216 912 46 04



CONTACT FORM



CALL NOW