


SAMOS SI 0540/1150 E1

Side channel blowers



VACUUM SOLUTIONS

Part of the **BUSCH** GROUP



Reliable

Robust and light-weight construction, effective air cooling, long lifetime, nearly maintenance-free, dry and contact-free operating principle, protection against overheating

Flexible

Vacuum or overpressure operation, horizontal and vertical installation

Quiet

Low noise level, fully enclosed unit, internal silencers

Accessories, spare parts and options

- Vacuum relief valves
- Pressure relief valves
- Additional silencers

SAMOS SI 0540/1150 E1


Side channel blowers



VACUUM SOLUTIONS


Part of the **BUSCH GROUP**

Dimensional drawing



Pumping speed

Air at 20°C. Tolerance: $\pm 10\%$



	SAMOS SI 0540 E1	SAMOS SI 1150 E1
Nominal pumping speed/volume flow	423.7 ACFM	423.7 ACFM
Max. differential pressure (vacuum version)	-168.75 TORR	-236.25 TORR
Max. differential pressure (overpressure version)	153.75 TORR	213.75 TORR
Max. operating power	11.5 hp	13.9 hp
Nominal motor speed	3600 RPM	3600 RPM
Noise level (ISO 3744)	84 dB(A)	84 dB(A)
Weight approx.	224.4 Lbs.	224.4 Lbs.
Dimensions (L x W x H)	23.7 x 20.9 x 23.0 inches	23.7 x 20.9 x 23.0 inches
Gas inlet / outlet	G 2½" / G 2½"	G 2½" / G 2½"

SAMOS SI 0540/1150 E1

Side channel blowers



VACUUM SOLUTIONS

Part of the **BUSCH** GROUP

	SAMOS SI 1150 E1	SAMOS SI 1150 E1	SAMOS SI 1150 E1
Nominal pumping speed/volume flow	847.4 ACFM	847.4 ACFM	847.4 ACFM
Max. differential pressure (vacuum version)	-116.25 TORR	-183.75 TORR	-292.5 TORR
Max. differential pressure (overpressure version)	93.75 TORR	161.25 TORR	277.5 TORR
Max. operating power	16.9 hp	23.2 hp	33.8 hp
Nominal motor speed	3600 RPM	3600 RPM	3600 RPM
Noise level (ISO 3744)	84 dB(A)	84 dB(A)	84 dB(A)
Weight approx.	451 Lbs.	451 Lbs.	451 Lbs.
Dimensions (L x W x H)	28.3 x 22.4 x 24.8 inches	28.3 x 22.4 x 24.8 inches	28.3 x 22.4 x 24.8 inches
Gas inlet / outlet	G 4" / G 4"	G 4" / G 4"	G 4" / G 4"

DO YOU WANT TO KNOW MORE?

Get in touch with us directly!
info@buschusa.com or +1 757 463 7800



CONTACT FORM



CALL NOW