### SAFETY DATA SHEET VSL 032 VSL 068 VSL 100



# Section 1. Identification

GHS product identifier	: VSL 032 VSL 068 VSL 100
Product code	: Not available.
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	: Lubricant.
Area of application	: Consumer applications.
Supplier/Manufacturer	: Busch Manufacturing LLC 516 Viking Drive Virginia Beach, VA 23452 United States Telephone no.: +1 800-872-7867
e-mail address of person responsible for this SDS	: info@chemical-check.de; k.schnurbusch@chemical-check.de
Emergency telephone number (with hours of operation)	: +1 872 5888271 (BPC)

# Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

Date of issue/Date of revision

ous issue : No pre

### Section 3. Composition/information on ingredients

#### Substance/mixture

: Mixture

Other means of identification

. Mixture

: Not available.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

### Section 4. First aid measures

Description of necess	ary first aid measures
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

0	5
Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides Toxic gases
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Not considered to be a product presenting a risk of explosion.

# Section 6. Accidental release measures

Personal precautions, protect	Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.		
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co	ntainment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

### Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

**Occupational exposure limits** 

None.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 4 - 8 hours (breakthrough time): If applicable: Nitrile gloves. Polyvinyl alcohol (PVA) gloves. (≥ 0.5 mm). Protective hand cream.
Body protection :	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Safety shoes. Long-sleeved protective clothing.
Other skin protection :	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Date of issue/Date of revision	: 04/06/2022 Date of previous issue : No previous validation Version : 1 4/11

### Section 8. Exposure controls/personal protection

#### **Respiratory protection**

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: If user operations generate mist: Filter A P2

### Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance		
Physical state	1	Liquid.
Color	1	Clear.
Odor	1	Characteristic.
Odor threshold	1	Not available.
рН	1	Not available.
Melting point	1	Not available.
Boiling point, initial boiling point, and boiling range	:	Not available.
Flash point	1	Closed cup: 235 to 238°C (455 to 460.4°F)
Evaporation rate	4	Not available.
Flammability	4	Not applicable.
Lower and upper explosion limit/flammability limit	1	Not available.
Vapor pressure	1	Not available.
Relative vapor density	1	Not available.
Relative density	1	Not available.
Density	1	0.832 to 0.848 g/cm <sup>3</sup>
Solubility	1	Not available.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	1	Not available.
Decomposition temperature	4	Not available.
SADT	4	Not available.
Viscosity	4	Kinematic (40°C (104°F)): 34.5 to 98.5 mm <sup>2</sup> /s (34.5 to 98.5 cSt)
Flow time (ISO 2431)	1	Not available.
Particle characteristics		
Median particle size	1	Not applicable.
Additional information		
Physical/chemical properties comments	:	No additional information.

Date of issue/Date of revision

products

### Section 10. Stability and reactivity

	, , , , , , , , , , , , , , , , , , ,
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: Protect from humidity.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.
Hazardous decomposition	: Under normal conditions of storage and use, hazardous decomposition products should

# Section 11. Toxicological information

not be produced.

#### Information on toxicological effects Acute toxicity Not available. Irritation/Corrosion Not available. **Sensitization** Not available. **Mutagenicity Conclusion/Summary** : Not available. **Carcinogenicity Conclusion/Summary** : Not available. **Reproductive toxicity Conclusion/Summary** : Not available. **Teratogenicity Conclusion/Summary** : Not available. Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard Not available. Information on the likely : Routes of entry anticipated: Oral, Dermal, Inhalation. routes of exposure

Date of issue/Date of revision

: 04/06/2022 Date of pre

Date of previous issue : No

## Section 11. Toxicological information

Potential acute health effects	-
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Short term exposure Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
-	

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name		(mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/ I)
VSL 032 / VSL 068 / VSL 100	142857.6	142857.6	N/A	N/A	N/A

### Section 12. Ecological information

#### **Toxicity**

**Conclusion/Summary** : Not available.

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Date of issue/Date of revision

:04/06/2022 Date of pr

Date of previous issue : No

# Section 12. Ecological information

Not available.

#### Mobility in soil

Soil/water partition
coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
	sewers.

### Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

**Additional information** 

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Date of issue/Date of revision

#### Continn Degulatory information 1 E

U.S. Federal regulations	Т	SCA 8(a) CDR	: N-1-naphthylaniline Exempt/Partial exemption: Not determined
Clean Air Act Section 112		nited States in	ventory (TSCA 8b): Not determined.
(b) Hazardous Air Pollutants (HAPs)			
Clean Air Act Section 602 Class I Substances	: No	ot listed	
Clean Air Act Section 602 Class II Substances	: No	ot listed	
DEA List I Chemicals (Precursor Chemicals)	: No	ot listed	
DEA List II Chemicals (Essential Chemicals)	: No	ot listed	
SARA 302/304			
Composition/information	<u>on ing</u>	redients	
No products were found.			
SARA 304 RQ	: No	ot applicable.	
<u>SARA 311/312</u>			
Classification	: Not	applicable.	
Composition/information	<u>on ing</u>	redients	
Name		%	Classification
2,6-di-tert-butyl-p-cresol		≤3	COMBUSTIBLE DUSTS
SARA 313		•	
Not applicable.			
State regulations			
Massachusetts		•	nponents are listed: BUTYLATED HYDROXYTOLUENE
New York		•	ponents are listed.
ew Jersey : The following components are listed: 2,6-DI-tert-BUTYL-p-CRESOL			
· · · · · · · · · · · · · · · · · · ·		0	
New Jersey Pennsylvania	: Tł	ne following cor	nponents are listed: 2,6-DI-tert-BUTYL-p-CRESOL nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL)
· · · · · · · · · · · · · · · · · · ·	: Tł	0	
Pennsylvania <u>California Prop. 65</u>	: Tł -4	ne following cor -METHYL-	
Pennsylvania California Prop. 65 This product does not r	: Tł -4	ne following cor -METHYL-	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL)
Pennsylvania California Prop. 65 This product does not r	: Tł -4 equire	ne following cor -METHYL- a Safe Harbor	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL) warning under California Prop. 65.
Pennsylvania <u>California Prop. 65</u> This product does not r <u>nternational regulations</u>	: Tł -4 equire	ne following cor -METHYL- a Safe Harbor	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL) warning under California Prop. 65.
Pennsylvania California Prop. 65 This product does not r nternational regulations Chemical Weapon Convent	: Tł -4 equire	ne following cor -METHYL- a Safe Harbor	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL) warning under California Prop. 65.
Pennsylvania <u>California Prop. 65</u> This product does not r <u>nternational regulations</u> <u>Chemical Weapon Convent</u> Not listed.	: Tł -4 equire	ne following cor -METHYL- a Safe Harbor	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL) warning under California Prop. 65.
Pennsylvania <u>California Prop. 65</u> This product does not r <u>international regulations</u> <u>Chemical Weapon Convent</u> Not listed. <u>Montreal Protocol</u> Not listed. <u>Stockholm Convention on</u>	: Tł -4 equire <u>ion Li</u> :	ne following cor -METHYL- a Safe Harbor <u>st Schedules I</u>	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL) warning under California Prop. 65. <u>, II &amp; III Chemicals</u>
Pennsylvania <u>California Prop. 65</u> This product does not r <u>International regulations</u> <u>Chemical Weapon Convent</u> Not listed. <u>Montreal Protocol</u> Not listed.	: Tł -4 equire <u>ion Li</u> : <u>Persis</u>	ne following cor -METHYL- a Safe Harbor <u>st Schedules I</u> <u>tent Organic F</u>	nponents are listed: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL) warning under California Prop. 65.

Not listed.

Date of issue/Date of revision

# Section 15. Regulatory information

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

# Section 16. Other information

#### Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### National Fire Protection Association (U.S.A.)



#### Procedure used to derive the classification

	Classification	Justification
Not classified.		
History		
Date of issue/Date of revision	: 04/06/2022	
Date of previous issue	: No previous validation	
Version	: 1	
Prepared by	: Chemical Check GmbH	
Key to abbreviations	: ATE = Acute Toxicity Estimate AMP = Acceptable maximum peak above the ac 8-hr shift BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classific IATA = International Air Transport Association IBC = International Air Transport Association Association IBC = International Air Transport Association IBC = International Air Transpor	eation and Labelling of Chemicals s n coefficient vention of Pollution From Ships, 1973 marine pollution)
References	: HCS (U.S.A.)- Hazard Communication Standard International transport regulations	l
Indicates information that	has changed from previously issued version.	

Date of issue/Date of revision	: 04/06/2022	Date of previous issue	: No previous validation	Version	:1	10/11

### Section 16. Other information

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.